Louisiana Ornithological Society's

LOUISIANA BIRD RECORDS COMMITTEE

Report Form

This form is intended as a convenience in reporting observations of species on the Louisiana Bird Records Committee (LBRC) Review List. The LBRC recommends the use of this form or a similar format when submitting records for review (to assure that all pertinent information is accounted for). Attach additional pages as necessary. Please print or type. Attach xerox of field notes, drawings, photographs, or tape recordings, if available. Include all photos for more obscurely marked species. When completed, mail to Secretary, Louisiana Bird Records Committee, c/o Museum of Natural Science, 119 Foster Hall, Louisiana State University. Baton Rouge, LA 70803-3216.

Record Univers	s Committee, c/o Museum of Natural Science, 119 Foster Hall, Louisland State
1.	English and Scientific names: Western Tanager (Piranga Indovicioning
2 .	Number of Individuals, sexes, ages, general plumage (e.g., 2 in alternate plumage): One adult male, alt plumage.
3.	Locality: LOUISIANA: CAMERON (parish) (specific locality)
	21. legman Sanctualy
	(specific locality)
4.	Date(s) when observed. April 14, 1995 (Rumored present
5.	Time(s) of day when observed: Mid-day (present all day according to
6.	WEDGILLIO ONSELACI BUG BABISARI
	(CONOVER (919 W PINHOOK LAFA YEITE LA 70503)
	LA 70503)
7.	Other observers accompanying reporter who also identified the bird(s):
	Bill Fontenot, Bill Vermillion
8.	Other observers who independently identified the bird(s):
9.	Light conditions (position of bird in relation to shade and to direction and amount of light):
1.0	
10.	Invini -> Kowax Jony Can word
11.	Distance to bird(s): down to 10 feet (too close to focus 10 x's)
12.	Duration of observation.
13.	Habitat:
	Hung close to waterholes; acaciase
	Habitat: Hung close to waterholes; acacins & Hack berry predominantly.

14.	Behavior of bird / circumstances of observation (flying, feeding, resting; include and stress habits used in identification; relate events surrounding observation): Typical of species, fly caupht, sided up & four branches eats cate pillars, etc. Loud bill click Description (include only what was actually seen, not what "should" have been seen; I for
15.	Description (include only what was actually seen, not what "should" have been seen; I for include if possibly: total length/relative size compared to other familiar species, body bulk, shape, proportions, bill, eye, leg, and plumage characteristics. Stress features that separate it from similar species):
	Glossy black tail & wings; black saddle, Yellow rump, underparts & upper back. Head tilged orange/red. Upper wing bar broad, yellow. Coner wing box Thinner, whitigh.
16.	Voice:
17.	Similar species (include how they were eliminated by your observation): Se cond-year male Summer Tanager wout black saddle & wigs, E without wire burs. Photographs or tape recordings obtained? (by whom? attached?):
19.	VIDEO ed. Previous experience with this species: Fairly extensive; also of course w/ (ummer & Scarlet.
20.	Identification aids: (list books, illustrations, other birders, etc. used in identification): a. at time of observation: / Said, "how, Male Wesfern"
21.	b. after observation: and a passerby said nonchalantly, "oh yeah, it's feen here all week." This description is written from:notes made during the observation (notes attached?);notes made after the observation (date:);
	memory.
22.	Are you positive of your identification if not, explain:
23.	Signature of reporter:
October 1991	(date) (time)



