## LOUISIANA ORNITHOLOGICAL SOCIETY BIRD RECORDS COMMITTEE REPORT FORM

This form is intended as a convenience in reporting observations of unusual birds. It may be used flexibly and need not be used at all. Leave blank any details not observed. Attach additional sheets if necessary. Please print or type. Attach drawings, photographys, etc.; include all photos if an obscurely marked species. When completed, mail to the Secretary of the LOS Bird Records Committee.

Common and scientific name: Great Black - backed Gull Clarus marinus

Number of individuals, sexes, ages, general plumage (e.g. 2ad. in breeding plumage): 1 1st winter

3. Locality: Louisiana: St. Tammany Parish: Mandevilk maring 4. Date(s) when seen: 16 Feb. 1997

Times of day when seen: /2:35 - /2:55 P.M.

Reporting observer and address:

Other observers accompanying reporter who also identified the bird: 7.

Other observers who independently identified the bird:

- Light conditions (position of bird in relation to shade and to direction and amount of light): glary, looking about 45° to left of sun
- Optical equipment (type, power, condition): 16 x 46 Zers 72x 60 Bushnell 10.
- 11. Distance to bird: 150 yards and farther

12. Duration of observation: 20 minutes
13. Habitat (general and specific):

mudbar I sand bar Just outside setties of channel in shallow brackish water (Lake Postchartrain)

14. Behavior (flying, feeding, resting, etc.; include and stress any habits used in identification): So Alds: List books, illustrations, birders, etc. used in identification


15. Description (Include only what was actually seen, not what "should" have been seen. Include if possible: total length; body bulk; shape, bill, eye, and leg characteristics; color and pattern of plumage, etc. Stress field marks):

Very large gull w/ massive black bill. Head white with some dark strenking especially rear crown and napa - more than on most 1st winter GBB, Wing coverts nicely checkered blackish and white, back somewhat messies not as crisp as some birds. Tail white with a broad rounded blackish & Es subterminal hand and a very for scattered small dark marks basally. Underports whitish.

Direct comparison w/ Laughing & Ring-billed Gulls.

OUISIANA ORNIIHOLOGICAL SOCIET BIRD RECORDS COMMITTEE REPORT FORM

	This form is intended as a convenience in reporting observations of unuda. It may be used flexibly and need not be used at all. Leave blank any det observed. Attach additional sheets if necessary. Please print or type. Attach photographys, etc.; include all photos if an obscurely marked species. pleted, mail to the Secretary of the LOS Bird Records Committee.	
16.	Other observers accompanying reporter who also identified to 1 Sold Sold Sold Sold Sold Sold Sold Sold	
	Other observers who independently identified the bird:	
17.	Similar species (include how they are eliminated by your observations):  most similar to Legser Black-backed, but much larger,  cspecially head and bill models book associated.	
	Duration of observation: 25 minute ) Habitat (general and specific):	
18.	Photographs (Was it photographed? By whom? Attached?):  Not that I Know of	
19.	Previous experience with this species:	
	Benavior (flying, feeding, resting, etc.; include and stress any mapris decidentification):  identification):  **This is the first of t	
20.	Aids: List books, illustrations, birders, etc. used in identification a) at time of observation;	
	Description (Include only what was actually seen, not include if possible: total length; body bulk; shape	
21.	This description written from: notes made during observation; note made after observation; memory.  Are you positive of your identification? YES. If not, explain:	25
23. 24.	p mae Mun III	



97-04B

## LOUISIANA ORNITHOLOGICAL SOCIETY BIRD RECORDS COMMITTEE REPORT FORM

- 1. Common and scientific name: Great Black-backed Gull (Larus marinus)
- 2. Number of individuals, sexes, ages, general plumage: 1 - First-winter plumage
- 3. Locality: State (Louisiana) Parish: St. Tammany

Exact Location: Mandeville Lakefront - East end, over seawall at marina channel

- 4. Date(s) seen: February 16, 1997
- 5. Time(s) of day seen: 12:30-12:53pm
- 6. Reporting observer and address: Phillip Wallace
  4515 S. Prieur St.
  New Orleans, LA 70125
- 7. Other observers accompanying reporter who also identified the bird: Mac Myers
- 8. Other observers who independently identified the bird: None
- 9. Light conditions: Fair to good. Sunny day. Sun was to the right of the line of sight.
- 10. Optical equipment: Zeiss 10x40 bins and Bushnell 22x scope
- 11. Distance to bird: 100 yards
- 12. Duration of observation: 23 minutes
- 13. Habitat (general and specific): On a sandbar by the seawall and in the lake.
- 14. **Behavior:** Playing with some small object in the water. Would pick up the object, fly up and drop it, and then drop down to pick it up again. Flying to the other seawall south of the lakefront. Preening on the sandbar. Flying south toward New Orleans at 12:53.

## 15. Description:

Size Large gull; dwarfed the Ring-billed Gulls with which it associated. No Herrings around for comparison. Bulky; big-chested.

Head From a distance using binoculars, the head appeared whitish compared to the back and upper breast. Through the scope we could see streaking on the nape and side-neck. Some minor streaking on the crown. Throat, chin, and lower side of the face were pure white when seen through the scope.

Mantle and Back Seemed somewhat dark for a Great Black-backed. Not as checkered black-and-white as usual.

Wings

Folded Coverts were white-and-blackish checkered. Primaries were very dark; blackish. Tertials almost completely dark; some pale coloration on the fringes.

In Flight No pale windows at the base of the primaries. No double dark secondary bar, i.e., the greater coverts were the same color as the rest of the coverts rather than dark like the secondaries.

Tail Clearly delineated "terminal" tail band was dark brown.

The band covered the distal  $\frac{1}{3}$  to  $\frac{1}{4}$  of the tail. The proximal part of the tail and the uppertail coverts were speckled brownish and white. Soft Parts Eye was dark. Bill was all dark (black) and large, though not as massive as some Great Black-backed Gulls. Leg color not noted.

- 16. Voice: None
- 17. Similar species and how they were eliminated:
  Herring Gull eliminated by tail pattern, absence of windows and bill size and color. (This time of year Herring should have extensive horn color on bill.)
  Lesser Black-backed Gull eliminated by size and absence of double dark secondary bar.
- 18. Photographs? None.
- 19. Previous experience with this species: I've seen quite a few times in LA and on the East Coast.
- 20. Aids used in identification:
  - a) at time of observation: None
  - b) after observation: Grant

21. This description written from:x notes made during observation; notes made after observation; memory.	J
22. Are you positive of your identification?yes	
23. Signature of reporter: [ July Wallow	

24. Date and time of writing this account: February 21, 1997 5:00pm

6. w., m.m. woyds. Great Black-backel Gull 12:30-12:53 Mandeville - Small Bost Harbon 15. end of Hown on the ste of second Light - Fair Logod cast of channel ( not seavel south of store) Sunny : Sun to Flew south over lake at onght of line of signs Lage gull All dar K bill (lunger but nut mussive); Whotes L hend; streeting on nape out sink north; Some whom streetly on crown No windows at best of primaries. (No double securlosy bar) Tail - Clearly decembed "terminal" tail band (dark brown); terminal \$ - \$ of tail; 49 rest of tail and upportoi (coverts speckled brownsh at whote Monte and Back - somewhat lot Lon GBG4. Covereds were white and Shapish Checkened. brings (Lild) - Orimaries very dark (blacksh) Tertials almost completely look; some pale on the Atingo. Head from distance (w/bms) looks which compared to buch and year brest. Bye dock Legs - Colon not noted

Throat, the lower side of Love - gare white Bulky bird; by chestel With ABGU; no HEGU woul; drawts RAGU. Pattern