Louisiana Ornithological Society's

LOUISIANA BIRD RECORDS COMMITTEE

Report Form

This form is intended as a convenience in reporting observations of species on the Louisiana Bird Records Committee (LBRC) Review List. The LBRC recommends the use of this form or a similar format when submitting records for review (to assure that all information involving an observation is accounted for). Attach additional pages as necessary. Please print or type. Attach photocopy of field notes, drawings, photographs, or tape recordings, if available. Include complete series of photos for more obscurely marked species. When completed mail to Secretary, Louisiana Bird Records Committee, c/o Museum of Natural Science, 119 Foster Hall, Louisiana State University, Baton Rouge, LA 70803-3216. (If you use this form as a computer template; please submit on archival quality = 100% cotton paper.)

species. When completed mail to Secretary, Louisiana Bird Records Committee, c/o Museum of Natural Science, 119 Foster Hall, Louisiana State University, Baton Rouge, LA 70803-3216. (If you use this form as a computer template; please submit on archival quality = 100% cotton paper.)
1. English and Scientific names: Annd's nummingbird, Calynte anna
2. Number of individuals, sexes, ages, general plumage: adult mall,
3 Tocality Nawlor's Hardware + Carden Confer
14441 Old Hammons Huy. Baton Rouge, LA - E. Baton Prouge Paral
4. Date(s) when observed: first observed approx. 8/3/02 until 9/21/02, reappeared
5. Time(s) of day when observed: In The 3 wks. + last observed day, masnly mounts
6. Reporting observer and address: Shirley Drewes
38351 Welsh Dr. Prairieville, LA 70769
7. Other observers accompanying reporter who also identified the bird(s): Butch Dreweg
, some state of the state of th
8. Other observers who independently identified the bird(s):
9. Light conditions: 54 nny
9. Light conditions: Sunny 10. Optical equipment: biroculas
9. Light conditions: Sunny 10. Optical equipment: binoculats 11. Distance to bird(s): 3'4'
9. Light conditions: 54 ny 10. Optical equipment: binoculars 11. Distance to bird(s): 3'4' 12.) Duration of observation: Varyo from day to day, on Sept. 20, 2002 when photo was taken, he was in nursery area for about 5 hrs.
9. Light conditions: Sunny 10. Optical equipment: Dinoculats 11. Distance to bird(s): 3'4' 12.) Duration of observation: Varyo from day to day, On Sept. 20, 2002 when photowall taken, he was in nurscody area for about 5 hrs. 13.) Habitat: Plant Nurscoy with some planted peas.
9. Light conditions: Sunny 10. Optical equipment: Dinoculars 11. Distance to bird(s): 3'-4' 12.) Duration of observation: Varyo from day to day, On Sept. 20 2002 when photowad taken, he was in nursery area for about 5 hrs. 13.) Habitat: Approx Plant Nursery with some planted areas, also many trees + overgrowth towards back of property—which along of Canal (gyrrarown alter).
9. Light conditions: 54nny 10. Optical equipment: binoculars 11. Distance to bird(s): 3'4' 12.) Duration of observation: Varyof from day to day, on Sept. 20, 2002 when photo was taken, he was a naisedy area for about 5 hrs. 13.) Habitat: Plant Naisedy with some planted peds, also many trees to very routh towards back of property—which along a canal (overgrown along).
9. Light conditions: 54nny 10. Optical equipment: binoculars 11. Distance to bird(s): 3'4' 12.) Duration of observation: Varyof from day to day, on Sept. 20, 2002 when photo was taken, he was a naisedy area for about 5 hrs. 13.) Habitat: Plant Naisedy with some planted peds, also many trees to very routh towards back of property—which along a canal (overgrown along).
9. Light conditions: 54nny 10. Optical equipment: binoculars 11. Distance to bird(s): 3'4' 12.) Duration of observation: Varyof from day to day, on Sept. 20, 2002 when photo was taken, he was a naisedy area for about 5 hrs. 13.) Habitat: Plant Naisedy with some planted peds, also many trees to very routh towards back of property—which along a canal (overgrown along).
9. Light conditions: Sunny 10. Optical equipment: Dinboulars 11. Distance to bird(s): 3'-4' 12.) Duration of observation: Varyo from day to day, On Sept. 20, 2002 when photowad taken, he was in nuiscous area for about 5 hrs. 13.) Habitat: Att Plant Nursony with some planted areas, also many trees + overgrowth towards back of property—which along of Canal (cylergrown alter).

appeared Stightly larger than ruby throats (he was an pursuit of). When area the seemed darker overall. Throat was red. We observed on Sept. 20 with binoculars, that there was red on the top of his head -matching his go red. In the right light this red was a different shade. Than ruby throats red.	
16.) Voice: More cricket like than Ruby throats 17.) Similar species and how they were eliminated: Ruby throats were in a rea with This humaning bird, but every time it was no occalization. That declarate attentions. This was a different sound. This promped us to bring binculars to camera intentions when we observed the red on crown. 18.) Photographs or tape recordings obtained? (by whom? attached?): Photos attached Talam by Shruy Prewes w 36 mm Portax 19). Previous experience with this species: where	
21.) Identification aids: a. at time of observation: b. after observation: Peterson Field Guide to Humming birds 22.) This description is written from: notes made during the observation; notes made (immediately) after the observation (date: notes made during the observation; memory. Please attach copy of field notes. Notes only on the dutes of last observed.	
23.) Are you positive of your identification if not, explain: 24.) Signature of reporter: (date) (date)	







hummer 1



hummer 🎒