LOUISIANA BIRD RECORDS COMMITTEE

Report Form

This form is intended as a convenience in reporting observations of species on the Louisiana Bird Records Committee (LBRC) Review List. The LBRC recommends the use of this form or a similar format when submitting records for review (to assure that all pertinent information is accounted for). Attach additional pages as necessary. Please print or type. Attach xerox of field notes, drawings, photographs, or tape recordings, if available. Include all photos for more obscurely marked species. When completed, mail to Secretary, Louisiana Bird Records Committee, c/o Museum of Natural Science, 119 Foster Hall, Louisiana State University, Baton Rouge, LA 70803-3216.

- 1. English and Scientific names: LARK BUNTING (CALAMOSPIZA MELANGCORYS)
- 2. Number of individuals, sexes, ages, general plumage (e.g., 2 in alternate plumage): I MALE TRANSITIONING INTO ALTERNATE PLUMAGE
- 3. Locality: LOUISIANA: (parish) ST. MARTIN PARISH Specific Locality: (1) A TOP LEVER AT SOUTH EM OF HENDERSON LEVER RD. (2) ST. MARTIN LAM COMPANY PROPERTY, LIF OF HENDERSON LEVER RD.
- 4. Date(s) when observed: APRIL 24 & 25, 2003
- 5. Time(s) of day when observed: ON 4/24 BIRD WAS INITIALLY DISCOVERED AROUND 1:30 PM ON 4/25 BIRDWAS FIRST SEEN AT 6:45AM, AND THEN AROUND 9:30 AM
- 6. Reporting observer and address:

JAMES W. BECK 100 AURELIEN LOOP #101 BROUSSARD, LA 70518

- 7. Other observers accompanying reporter who also *Identilled* the bird(s):
- 8. Other observers who independently identified the bird(s):
- Light conditions (position of bird in relation to shade and to direction and amount of light):

FIRST OBSERVED WHEN FLUTHED FROM SIDE OF ROAD, THEN IN OPEN LIGHT, THOUGH GVER CAST. SEEN UNDER SIMILAR COMPITIONS EARLY 4/25, BUT BETIER VIEWED LATER IN AFTERNOON PERCHED UP 3 N BARBED WIRE FENCE, WITH FAIR SKIES ALLOWING DIRECT SUNLIGHT ON BIRD

10. Optical equipment (type, power, condition):

SWIFT 10 X 42 BINCCULARS, BUSHNELL SPACEMASTER SPECTTING SCOPE - BOTH IN GOOD CONDITION

11. Distance to bird(s):

VIEWED AT ALL RELATIVELY CLOSE DISTANCES, VARYING FROM APPROX. 12 FT - 30 YARDS.

12. Duration of observation:

STAYED WITH BIRD WHEN FIRST DISCOVERED FOR ABOUT TEN MINUTES, LEFT TO CALL DAVE PATTON AND RETURNED TO WATCH IT FOR ANOTHER FIVE MINUTES. THE LONGEST TIME SPENT WITH THE BIRD WAS 13. Habitat: ON 4/25 - DURATION ABOUT 15 MINUTES,

- (1) SHORT GRASS ATOP OF LEVEE (2) OPEN AREA SURROUNDED BY FIELDS, BARBED WIRE FENCING, GRAVEL ROADS
- 14. Behavior of bird / circumstances of observation (flying, feeding, resting; include and stress habits used in identification; relate events surrounding observation): WHEN ACTIVELY FEEDING, BIRD REMAINED ON THE GROOM, RUNNING FROM SPOT TO SPUT, PICKING FOOD ITEMS. WHEN PRESSED BY APPROACH, BIRD WOULD FLY WITH SHORT BURSTS TO A SHORT DISTANCE AWAY, & LAND AGAIN. UNLESS REPEATEDLY PROVOKED , THEN WILL FLY DOWN LEVER, ACROSS THE ROAD TO A TREE LINE, OBSERVED PREEMING ON BARBED WIRE FENCUS, THEN FLEW TO THEGROUND WHERE IT FED IN THE MANNER MENTIONED MISONE, BY RUNNING FROM STOT TO SPOT. SEEN FEEDING ON GROUND WITH N CARDINAL & BLUE GROSBEAK.

15. Description (include only what was actually seen, not what "should" have been seen; include if possible; total length/relative size compared to other familiar species, body bulk, shape, proportions, bill, eye, leg, and plumage characteristics. Stress features that separate it from similar species): SIZE RELATIVE TO THAT OF A COWBIRD, ONLY STOCKIER, AND MORE SHORT -TAILED. BILL HEAVILLER THAN COWBIRT SPP., WITH BLUE-CRAY COLORING. EYES DARK. LEGS A DARK BROWN. PLUMAGE APPEARS TO BE RETAINING SOME BASIC FRATIRES, WHILE ALSO EXHIBITING ALTERNATE BEGINNINGS. FACE AND CHIN BLACK, WHITE STRIPE BEHIND EYE . UPPER THROAT BECOMING BLACK ON A WHITISH BEZLY, A BIT OF STREAKING REMAINS ON FLANKS. MANTLE #9 AND BACK OF HEAD ARE BROWNISH, WITH BLACKENING FEATHERS COMING IN, BLOTCHY. WHITE WING PATCHES OBVIOUS IN BOTH PERCHEN BIRT, AND IN FLIGHT. WHEN BIRD WAS PERCITED IN WINDY CONDITIONS, TAIL WAS SPREAD AND CLUSED TO MAINTAIN BALANCE. WHEN TAIL WAS FANNED, EACH RETRIX SHOWED A WHITE SPOT TOWARD TIP OF TAIL. WHITE IN WINGS SEEMED TO LARGELY BE IN THE CREATER AND MEDIAN COVERTS, WITH THE LAST FEW INMER SECONDARIES. 16. Voice:

ONLY CALLET ONCE, CAVE A QUIET TWO-NOTE VCCALIZATION

17. Similar species (include how they were eliminated by your observation):

COWBIRD SFF. - ALBINISTIC INDIVIDUALS ELIMINATED BY THICKER BILL, BLUE-GRAY COLOR, SHURTER TAIL, WHITE TIPS IN RETRICIES. BUBBLINK - HAS WHITE UPPERTAIL COVERTS, BUFFY BACK TO HEATD, SMALLER AND DARKER BILL, LACK OF WHITE IN TAIL

- 18. Photographs or tape recordings obtained? (by whom? attached?):
- 19. Previous experience with this species: NEW CRLEANS INDIVIDUAL IN 199?, SEEN IN SOUTH TX (LRGV)-1995 & 2002, AND IN SOUTHWEST NM SU-THEAST AZ (2001)
- 20. Identification aids: (list books, illustrations, other birders, etc. used in identification):
- a. at time of observation: PAST EXPERIENCE
- b. after observation: NATIONAL GEOGRAPHIC THIRD EDITION
- 21. This description is written from: _____ notes made during the observation (_____ notes attached?); ____ notes made after the observation (date: ____); ____ memory.
- 22. Are you positive of your identification if not, explain: $\gamma \in S$
- 23. Signature of reporter:

From: Steven W. Cardiff <scardif@lsu.edu>
To: Donna Dittmann <ddittma@lsu.edu>
Date: Monday, May 5, 2003 2:26 PM

Subject: Fw: Lark Bunting

From:Donna L Dittmann/ddittma/LSU@lsu.edu on 05/05/2003 02:26 PM EST

```
interesting....
Steven W. Cardiff, Collections Manager
Sections of Ornithology and Mammalogy
Museum of Natural Science
119 Foster Hall
Louisiana State University
Baton Rouge, LA 70803-3216
Email: scardif@lsu.edu
225-578-9289 (W)
225-578-3075 (FAX-W)
225-642-5763 (H)
---- Original Message ----
From: "Van Remsen" <najames@lsu.edu>
To: "Steve Cardiff" <scardif@lsu.edu>
Sent: Wednesday, April 30, 2003 12:17 PM
Subject: Fwd: Lark Bunting
> FYI
> >Date: Tue, 29 Apr 2003 19:40:04 -0500
> >To: najames@LSU.edu
> >From: James Beck <myiarchus928@worldnet.att.net>
> >Subject: Lark Bunting
> >
> >
> >
> > From: James V Remsen/najames/LSU@worldnet.att.net on
04/29/2003 07:40 PM
> > EST
> >
> >
> >
> >
> >
> > Van--
```

>> I realize this will have no effect on the decision of the LBRC, > > but for my > > personal piece of mind, please tell me what you think of my > > description: > > > > Cowbird sized, blue-gray colored bill, eye dark, with whitish > > stripe behind > > the eye. Black around face and chin, with overall color being > > brownish, >> with black feathering coming in on various places (i.e. mantle, > > nape, >> etc.). Heavy streaking left on flanks. White wing patches > > obvious on > > perched bird and in flight. White feathering included greater and > > median >> coverts, as well as inner most secondaries (obviously noted in > > preening >> posture...) . When tail was spread, each retrix exhibited a white > > spot > > toward the base of tail. Call was consistent with all other Lark > > Buntings I >> have heard, a soft, two-noted call, with a rising emphasis on the > > end > > note. Behavior included typical ground-feeding (running along > > roadsides, >> from spot to spot). > > > > I have previous experience with LABU in LA (N.O. individual 199?), > > LRGV in > > TX (1997, 2002) and SWNM/SEAZ (2001). > > > > I just feel frustrated because I know the typical outcome of >> "single-observer sightings" of this nature. I just cannot afford > > camera > > equipment adequate enough to document such rarities, being a > > \$7/hr. >> zookeeper, with bills, and trying to provide for my fiance, > > setting > > aside money for our wedding, etc. This is by far the best bird I > > have found, and in my opinion, not a terribly hard ID, especially > > the plumage > > it was in. Sorry for going on and on, but you have given me wise > > words of > > ornithological wisdom in the past (since I was a > > "whippersnapper"), so I

> > just want to get you personal, off-the-record opinion.

```
Thanks.
```

. . .

> LSU Museum of Natural Science

> najames@LSU.edu

> Foster Hall 119, LSU
> Baton Rouge, LA 70803