## LOUISIANA BIRD RECORDS COMMITTEE

## REPORT FORM

This form is intended as a convenience in reporting observations of species on the Louisiana Bird Records Committee (LBRC) Review List. The LBRC recommends the use of this form or a similar format when submitting records for review to assure that all pertinent information is accounted for. Attach additional pages or files as necessary. Please print or type for hard copy. For electronic copy, be sure to save this file to your computer before entering text. Attach field notes, drawings, photographs, or tape recordings, if available. Include all photos for more obscurely marked species. When completed (if hard copy), mail to Secretary, Louisiana Bird Records Committee, c/o Museum of Natural Science, 119 Foster Hall, Louisiana State University, Baton Rouge, LA 70803-3216, or e-mail electronic copy as an attachment to Paul Edward Conover at <zoiseaux@lusfiber.net>.

- 1. English and Scientific names: Audubon's Shearwater Puffinus Iherminieri
- 2. Number of individuals, sexes, ages, general plumage (e.g., 2 in alternate plumage): 1
- 3. Parish: Plaquemines

Specific Locality: 32-49 mi SE Southwest Pass

- 4. Date(s) when observed: 9/21/15
- 5. Time(s) of day when observed: 1020 AM
- 6. Reporting observer and address: Dan O'Malley, Baton Rouge
- 7. Other observers accompanying reporter who also *identified* the bird(s): Charles Lyon, David Muth, Cathy DiSalvo, John Sevenair, Jean Trahan, Jeff Trahan
- 8. Other observers who *independently identified* the bird(s):
- 9. Light conditions (position of bird in relation to shade and to direction and amount of light): Bright light in sparkling pelagic waters. Diagonally behind observers (?). Bird not silhouetted.
- 10. Optical equipment (type, power, condition): EO Ranger 8x42
- 11. Distance to bird(s): ~30 meters at closest point

- 12. Duration of observation: ~30 seconds
- 13. Habitat: Pelagic waters
- 14. Behavior of bird / circumstances of observation (flying, feeding, resting; include and stress habits used in identification; relate events surrounding observation): **Flying. Not swooping and arcing.**
- 15. Description (include only what was actually seen, *not what "should" have been seen*; include if possible: total length/relative size compared to other familiar species; body bulk, shape, proportions; bill, eye, leg, and plumage characteristics. Stress features that separate it from similar species, *or for species that are known to hybridize frequently, stress features that help eliminate possible hybrids*): Small black and white tubenose. All dark dorsally. Ventrally white on throat, auriculars, chest, and belly. Undertail coverts dark. White coverts on underside of wing, black remiges.
- 16. Voice: NA
- 17. Similar species (include how they were eliminated by your observation): Manx Shearwater by dark undertail coverts. Black-vented Shearwater by whitish auriculars. Little Shearwater by dark lores, black feathers behind and surrounding eye.
- 18. Photographs or tape recordings obtained? (by whom? attached?): **Yes. DAO. Attached.**
- 19. Previous experience with this species: None.
- 20. Identification aids: (list books, illustrations, other birders, etc. used in identification):
  - a. at time of observation: Other birder, listed above.

b. after observation: Nat Geo, Sibley

21. This description is written from:

	notes made during the observation.	Are notes attached?	
	notes made after the observation.	At what date?	
X	memory		
X	study of images		

22. Are you positive of your identification? If not, explain: Yes

23. Date: 11/21/15 Time: 1558

