## LOUISIANA BIRD RECORDS COMMITTEE

## **REPORT FORM**

This form is intended as a convenience in reporting observations of species on the Louisiana Bird Records Committee (LBRC) Review List. The LBRC recommends the use of this form or a similar format when submitting records for review (to assure that all pertinent information is accounted for). Attach additional pages as necessary. Please print or type. Attach xerox of field notes, drawings, photographs, or tape recordings, if available. Include all photos for more obscurely marked species. When completed, mail to Secretary, Louisiana Bird Records Committee, c/o Museum of Natural Science, 119 Foster Hall, Louisiana State University, Baton Rouge, LA 70803-3216.

- Foster Hall, Louisiana State University, Baton Rouge, LA 70803-3216. 1. English and Scientific names: Cory's Shearwater, Calonectris diomedea 2. Number of individuals, sexes, ages, general plumage (e.g., 2 in alternate plumage): Two birds: one nominate ("Scopoli's") and one borealis subspecies 3. Locality: Parish: \_Plaquemines (Gulf of Mexico) \_\_\_\_\_ Specific Locality: \_17-21 mi SE of South Pass of Mississippi River \_\_\_\_\_ 4. Date(s) when observed: 10 September 2016 5. Time(s) of day when observed: 1014-1017 CDT 6. Reporting observer and address: Robert C. Dobbs, Lafayette, LA 7. Other observers accompanying reporter who also *identified* the bird(s): Terry Davis, Oscar Johnson, Marybeth Lima, Andre Moncrieff, David Muth, Mac Myers, Van Remsen, and others 8. Other observers who *independently identified* the bird(s): 9. Light conditions (position of bird in relation to shade and to direction and amount of light): Not recorded 10. Optical equipment (type, power, condition): Swarovski 8x30 binos (good cond), Nikon f5.6 / 70-200 mm lens (good cond) 11. Distance to bird(s): Not noted (not particularly close... 150+ m if I had to guess)
- 14. Behavior of bird / circumstances of observation (flying, feeding, resting; include and stress habits used in identification; relate events surrounding observation): One bird

12. Duration of observation: Each bird observed 1-2 min

13. Habitat: pelagic, "blue" water

(borealis ssp) being chased/harassed by Long-tailed Jaeger; other bird (nominate "Scopoli's" ssp) seen immediately thereafter.

15. Description (include only what was actually seen, *not what "should" have been seen*; include if possible: total length/relative size compared to other familiar species, body bulk, shape, proportions, bill, eye, leg, and plumage characteristics. Stress features that separate it from similar species): Large shearwaters, pale grayish-brown above and white below. Entire head pale grayish-brown, gently fading to white throat and breast; darker gray around eye. Large, bright yellow bill.

The two birds generally appeared very similar, and were not seen side-by-side. Scopoli's differentiated by white tongues extending down deep into undersides of outer primaries.

16. Voice: Not vocal

17. Similar species (include how they were eliminated by your observation): Great Shearwater, the other large shearwater expected in the Gulf of Mexico, readily distinguished from Cory's by a distinct dark cap, well demarcated from mostly white neck, gray collar, all-black bill, and variable black feathering in underwing coverts. Other expected shearwaters include Audubon's and Manx, both of which are significantly smaller than Cory's, and contrastingly colored black (above) and white (below), have shorter, rounder wings, and small all-dark bills.

Cape Verde Shearwater similar to Cory's, but only occurs in North American waters as a vagrant (North Carolina). Cape Verde has a smaller, more dull/dusky yellowish bill, a darker gray head and more capped appearance.

- 18. Photographs or tape recordings obtained? (by whom? Attached?): Photos, by Robert C. Dobbs
- 19. Previous experience with this species: No experience prior to this trip, but quite a bit of experience by day's end, after seeing over 20 Cory's, including both subspecies
- 20. Identification aids: (list books, illustrations, other birders, etc. used in identification):
- a. at time of observation:

b. after observation: Sibley Guide to Birds; Howell (2012) Petrels, Albatrosses and Storm-Petrels of North America

21.	This description is writte	n from: _	notes made during the obser	vation
(	notes attached?);	_notes ma	ade after the observation (date:	);
	memory; _X notes r	nade from	photos.	

22. Are you positive of your identification if not, explain: Yes, positive of Cory's ID.

23. Date:_26 November 2016Time:2100 CST				
24. May the LBRC have permission to display this report or portions of this report on its website?Yes				

## borealis









