LOUISIANA BIRD RECORDS COMMITTEE

REPORT FORM

- 1. English and Scientific names: Gray Flycatcher (Empidonax wrightii)
- 2. Number of individuals, sexes, ages, general plumage (e.g., 2 in alternate plumage):

One individual in unknown plumage of unknown sex

3. Parish: Plaquemines

Specific Locality: Diamond Recreational Park

- 4. Date(s) when observed: 26 January 2019
- 5. Time(s) of day when observed: 1300-1330

6. Reporting observer and city/state address

Reporting observer: James W. Beck

City: Marrero
State: Louisiana

- 7. Other observers accompanying reporter who also identified the bird(s): Linda Kingsland
- 8. Other observers who independently identified the bird(s): Van Remsen and David Muth
- 9. Light conditions (position of bird in relation to shade and to direction and amount of light):
- 10. Optical equipment (type, power, condition): Vortex 8x42 Diamonbacks
- 11. Distance to bird(s): ca. 10ft. 50ft.
- 12. Duration of observation: ca. 30 minutes
- 13. Habitat: Second-growth wood edge in recreation park with Live Oaks, Chinese Tallow, Great Ragweed, etc.
- 14. Behavior of bird / circumstances of observation (flying, feeding, resting; include and stress habits used in identification; relate events surrounding observation): Actively foraging, routinely vocalizing and actively pumping its tail. Foraging height averaged between less than 1 ft. off the ground to over 8 ft.
- 15. Description (include only what was actually seen, *not what "should" have been seen;* include if possible: total length/relative size compared to other familiar species; body bulk, shape, proportions; bill, eye, leg, and plumage characteristics. Stress features that separate it from

similar species, or for species that are known to hybridize frequently, stress features that help eliminate possible hybrids): Small flycatcher, relatively large-headed appearance, dark maxilla and yellow-orange mandible. Fairly conspicuous eye ring on grayish head with grayish-white upperparts and yellowish wash to the underparts. Wings had two distinct wingbars with short primary projection. Tail dark.

- 16. Voice: Repeated *whit* calls most commonly given, but on several occasions, a full *cheeweck*-type vocalization was also given. <u>Audio</u>
- 17. Similar species (include how they were eliminated by your observation): Tail-dipping and voice.
- 18. Photographs or tape recordings obtained? (by whom? attached?): Yes, both photos by myself and Linda Kingsland were obtained, as well as voice recordings.
- 19. Previous experience with this species: None
- 20. Identification aids: (list books, illustrations, other birders, etc. used in identification):
- a. at time of observation: None
- b. after observation: Xeno-canto, Sibley

21. This description is written from:

s description is written from:								
		notes made during the observation.	Are notes attached?					
		notes made after the observation.	At what date?					
	X	memory						
	X	study of images						

- 22. Are you positive of your identification? If not, explain: Yes
- 23. Date: 26 January 2019

Time: 2014

24. May the LBRC have permission to display in whole or in part this report and accompanyin	g
photos on the LOS-LBRC website and LBRC Facebook page?Yes	
If yes, may we include your name with the report?Yes	



