- 1. English and Scientific names: Great Shearwater Puffinus gravis
- 2. Number of individuals, sexes, ages, general plumage (e.g., 2 in alternate plumage): **4 or 5**
- 3. Parish: Plaquemines

Specific Locality: 3 w/ Bridled Terns—28 33 59, 89 06 48 1 w/ Leach's Storm-petrel—28 23 38, 88 52 37, 1 (new?)—28 33 39, 89 03 49

- 4. Date(s) when observed: 9/21/15
- 5. Time(s) of day when observed: **0845 h**; **0945 h**.
- 6. Reporting observer and address: David P. Muth, 2765 Orchid Ave., N.O. La. 70119
- 7. Other observers accompanying reporter who also identified the bird(s): Van Remsen, Charles Lyon, Dan O'Malley, Cathy DiSalvo, John Sevenair, Jean Trahan, Jeff Trahan
- 8. Other observers who independently identified the bird(s):
- 9. Light conditions (position of bird in relation to shade and to direction and amount of light): **Good.**
- 10. Optical equipment (type, power, condition): Eagle Optics Platinum Ranger 10x42
- 11. Distance to bird(s): **50 feet or less**
- 12. Duration of observation: **leisurely**
- 13. Habitat: blue water
- 14. Behavior of bird / circumstances of observation (flying, feeding, resting; include and stress habits used in identification; relate events surrounding observation): 1) **Birds seen variously sitting on surface or flying and feeding.**
- 15. Description (include only what was actually seen, not what "should" have been seen; include if possible: total length/relative size compared to other familiar species; body bulk, shape, proportions; bill, eye, leg, and plumage characteristics. Stress features that separate it from similar species, or for species that are known to hybridize frequently, stress features that help eliminate possible hybrids): 1) Large (larger than AUSH) shearwaters with sooty brown upperparts, white below with light brown belly patch, distinct dark-capped look, white-collared; black bills. Narrow white tail band, black tail. Underwing pattern white with black flight feathers and complex pattern of white and black in axillaries.

http://ebird.org/ebird/view/checklist?subID=S25161729 http://ebird.org/ebird/view/checklist?subID=S25161726

My photos below are of the bird at 28 23 38, 88 52 37.





- 16. Voice: NA
- 17. Similar species (include how they were eliminated by your observation): **Cory's Shearwater no collar, pale bill, does not appear capped, etc.**
- 18. Photographs or tape recordings obtained? (by whom? attached?): 1) Yes.
- 19. Previous experience with this species: Once before off Louisiana, once off Florida.
- 20. Identification aids: (list books, illustrations, other birders, etc. used in identification):
- a. at time of observation:
- b. after observation:
- 21. This description is written from:

Memory **XX**Study of images **XX**

- 22. Are you positive of your identification? If not, explain: Yes
- 23. Date: 3/8/16
- 24. May the LBRC have permission to display this report or portions of this report on its website? **yes**If yes, may we include your name with the report? **yes**