## LOUISIANA BIRD RECORDS COMMITTEE

## REPORT FORM

This form is intended as a convenience in reporting observations of species on the Louisiana Bird Records Committee (LBRC) Review List. The LBRC recommends the use of this form or a similar format when submitting records for review (to assure that all pertinent information is accounted for). Attach additional pages as necessary. Please print or type. Attach xerox of field notes, drawings, photographs, or tape recordings, if available. Include all photos for more obscurely marked species. When completed, mail to Secretary, Louisiana Bird Records Committee, c/o Museum of Natural Science, 119 Foster Hall, Louisiana State University, Baton Rouge, LA 70803-3216.

1. English and Scientific names: White-winged Scoter, <i>Melanitta fusca</i> 2. Number of individuals, sexes, ages, general plumage (e.g., 2 in alternate plumage): 1, likely second-year bird.
3. Locality: Parish:St. Martin
5. Time(s) of day when observed: 1630-1700
6. Reporting observer and address: Robert Dobbs, Lafayette, LA
7. Other observers accompanying reporter who also <i>identified</i> the bird(s): Danny Dobbs, Meribeth Huizinga
8. Other observers who independently identified the bird(s): Matt Pardue (initially reported bird)
9. Light conditions (position of bird in relation to shade and to direction and amount of light): Overcast, late-day light
10. Optical equipment (type, power, condition): Swarovski 80x scope
11. Distance to bird(s): Far (500 m?)
12. Duration of observation: 30 min
13 Habitat: Open water / shallow lake

14. Behavior of bird / circumstances of observation (flying, feeding, resting; include and stress habits used in identification; relate events surrounding observation): Primarily

resting with decoys; also preening and diving.

15. Description (include only what was actually seen, not what "should" have been seen;
include if possible: total length/relative size compared to other familiar species, body
bulk, shape, proportions, bill, eye, leg, and plumage characteristics. Stress features that
separate it from similar species): Large, all-black duck with sloping forehead and large
bill. White secondaries visible when bird preened, and when stretched and flapped wings
on water. Presumed to be second-year bird by near absence of white facial patches.

- 16. Voice: Not known to vocalize
- 17. Similar species (include how they were eliminated by your observation): Scoter by all-black plumage and head shape; white secondaries eliminated other scoter species
- 18. Photographs or tape recordings obtained? (by whom? Attached?): Photos by Gary Meyers, attached with permission.
- 19. Previous experience with this species: Plenty, primarily in western U.S.
- 20. Identification aids: (list books, illustrations, other birders, etc. used in identification):
- a. at time of observation:
- b. after observation:

Return to LBRC Page

Meyers\_\_\_\_\_